



B/IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appln. No.: 10/621,180
Applicant: Michael J. Mann
Filing Date: July 16, 2003
Title: ELECTROSTATIC DISSIPATION
TC/A.U.: 3751
Examiner: Peter T. Devore
Docket No.: 32008-02

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
Post Office Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Notice of Drawing Inconsistency with Specification dated January 6, 2006, enclosed is a sheet containing Figure 3 of the drawing of this application.

Respectfully submitted,

Charles L. Schwab
Attorney for Applicant
Registration No. 17,497
NEXSEN PRUET, LLC
Post Office Box 10107
Greenville, SC 29603
Telephone: (864) 370-2211
Facsimile: (864) 282-1177

I hereby certify that this correspondence
is being deposited with the United States
Postal Service as first class mail in an envelope
addressed to: Director of the United States
Patent & Trademark Office, P.O. Box 1450,
Alexandria, VA 22313-1450 on 1-17-06

Date

17 January 2006